

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.06.2019

Version number 9

Revision: 13.06.2019

**SECTION 1: Identification of the substance/mixture and of the company/  
undertaking**

· **1.1 Product identifier**

· **Gluecifer Cleaner**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Cleaning agent / Cleaner

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Gluecifer

Unit 1, Squires Farm Industrial Estate,

Palehouse Common, East Sussex

TN22 5RB

UK + 44 (0) 1435 83 11 44

EU +31(0) 412 78 62 11.

sales@gluecifer.co.uk

Emergency: It is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor.

\* **SECTION 2: Hazards identification**

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** Danger

· **Contains:**

acetone

· **Hazard statements**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

**Safety data sheet**  
according to 1907/2006/EC, Article 31



Printing date 13.06.2019

Version number 9

Revision: 13.06.2019

**Trade name: Gluecifer Cleaner**

H336 May cause drowsiness or dizziness.

· **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

· **Supplemental information:**

EUH066 Repeated exposure may cause skin dryness or cracking.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment** - · **PBT:** Not applicable. · **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

· **3.2 Mixtures**

· **Description:** Active substance with propellant

· **Dangerous components:**

CAS: 67-64-1	acetone	75-<100%
EINECS: 200-662-2		

Reg.nr.: 01-2219471330-49-xxxx	H336	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3,
CAS: 74-98-6	propane	10-<20%
EINECS: 200-827-9		Flam. Gas 1, H220; Press. Gas (Comp.), H280
Reg.nr.: 01-2119486944-21-xxxx		

CAS: 106-97-8	butane	5-<10%
EINECS: 203-448-7		Flam. Gas 1, H220; Press. Gas (Comp.), H280
Reg.nr.: 01-2119474691-32-xxxx		

CAS: 75-28-5	isobutane	5-<10%
EINECS: 200-857-2		Flam. Gas 1, H220; Press. Gas (Comp.), H280

· **SVHC** - Reg.nr.: 01-2119485395-27-x

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **General information:** Take affected persons out of danger area and lay down.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Immediately remove all soiled and contaminated clothing

If symptoms persist consult doctor.

· **After swallowing:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 13.06.2019

Version number 9

Revision: 13.06.2019

### Trade name: Gluecifer Cleaner

Give small amounts of water to drink.  
Seek immediate medical advice.

#### · 4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes.

Vapours may cause drowsiness and dizziness.

· **Information for doctor:** No further relevant information available.

· **Hazards** No further relevant information available.

#### · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### · 5.1 Extinguishing media

#### · Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

### · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

Carbon dioxide (CO<sub>2</sub>)

### · 5.3 Advice for firefighters

## SECTION 6: Accidental release measures

· **Protective equipment:** Wear self-contained respiratory protective device.

### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with the eyes and skin.

Ensure adequate ventilation.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

### · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-

binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to Section 13.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid contact with the eyes and skin.

Wear suitable protective clothing and gloves.

Avoid breathing vapours/spray.

The usual precautionary measures are to be adhered to when handling chemicals.

· **Information about fire - and explosion protection:**

Extremely flammable aerosol.

**Safety data sheet**  
according to 1907/2006/EC, Article 31



Printing date 13.06.2019

Version number 9

Revision: 13.06.2019

**Trade name: Gluecifer Cleaner**

Pressurised container: May burst if heated. Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage: Requirements to be met by storerooms and receptacles:**

Observe official regulations on storing packagings with pressurised containers.

· **Information about storage in one common storage facility:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

· **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Do not seal receptacle gas tight. Protect from heat and direct sunlight.

· **7.3 Specific end use(s)** No further relevant information available.

\* **SECTION 8: Exposure controls/personal protection**

· **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 67-64-1 acetone**

WEL Short-term value: 3620 mg/m<sup>3</sup>, 1500 ppm

Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm

**CAS: 106-97-8 butane**

WEL Short-term value: 1810 mg/m<sup>3</sup>, 750 ppm

Long-term value: 1450 mg/m<sup>3</sup>, 600 ppm

Carc (if more than 0.1% of buta-1.3-diene)

**DNELs**

· **Long term effects**

**CAS: 67-64-1 acetone**

Oral consumer 62 mg/m<sup>3</sup> (general public) (systemic effects)

Dermal industrial 186 mg/kg/24h (workers) (systemic effects)

consumer 62 mg/kg/24h (general public) (systemic effects)

Inhalative industrial 1,210 mg/m<sup>3</sup> (workers) (systemic effects)

consumer 200 mg/m<sup>3</sup> (general public) (systemic effects)

· **Short term effects**

**CAS: 67-64-1 acetone**

Dermal industrial 186 mg/m<sup>3</sup> (workers) (systemic effects)

Inhalative industrial 2,420 mg/m<sup>3</sup> (workers) (local effects)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.06.2019

Version number 9

Revision: 13.06.2019

**Trade name: Gluecifer Cleaner**

**PNECs**

**CAS: 67-64-1 acetone**

PNEC 100 mg/L (sewage treatment plant)  
10.6 mg/L (sediment (fresh water))  
1.06 mg/L (salt water)

PNEC 29.5 mg/kg (soil)  
3.04 mg/kg (sediment (salt water))  
30.4 mg/kg (sediment (fresh water))

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working. Avoid breathing dust/fume/gas/mist/vapours/spray. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Ensure that washing facilities are available at the work place.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use only in well-ventilated areas.

Filter AX

For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

· **Protection of hands:**

Avoid contact with the eyes and skin. Wear suitable protective clothing and gloves.



Protective gloves Solvent resistant gloves and goggles



· **Material of gloves**

Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 13.06.2019

Version number 9

Revision: 13.06.2019

**Trade name: Gluecifer Cleaner**

- **Eye protection:**  
Tightly sealed goggles
- **Body protection:** Solvent resistant protective clothing

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

- **Form:** Aerosol
- **Appearance:**
  - **Colour:** According to product specification
  - **Odour:** Characteristic
  - **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Melting point/freezing point:** Undetermined.
- **Initial boiling point and boiling range:** -44 °C
- **Flash point:** -97 °C
- **Flammability (solid, gas):** Not applicable.
- **Ignition temperature:** 365 °C
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- **Explosion limits:**
  - **Lower:** 1.7 Vol %
  - **Upper:** 13.0 Vol %
- **Vapour pressure at 20 °C:** 3500 hPa
- **Density at 20 °C:** 0.73 g/cm<sup>3</sup>
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not applicable.
- **Solubility in / Miscibility with water:** Immiscible / difficult to mix.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
  - **Dynamic:** Not determined.
  - **Kinematic:** Not determined.

**Safety data sheet**  
according to 1907/2006/EC, Article 31



Printing date 13.06.2019

Version number 9

Revision: 13.06.2019

**Trade name: Gluecifer Cleaner**

- **Solvent content:**
  - VOC (EU) 730.0 g/l
  - VOC (EC) 100.00 %
- **9.2 Other information** No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

## SECTION 11: Toxicological information

### 10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.  
Carbon monoxide and carbon dioxide

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**

#### CAS: 67-64-1 acetone

Oral	LD50	5,800 mg/kg (rat) (OECD 401)
Dermal	LD50	20,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC0/4 h	16,000 ppm (rat)
	LC50/4 h	76 mg/L (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Slight irritation possible.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:** Repeated exposure may cause skin dryness or cracking.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**Safety data sheet**  
according to 1907/2006/EC, Article 31



Printing date 13.06.2019

Version number 9

Revision: 13.06.2019

**Trade name: Gluecifer Cleaner**

## **SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:**
  - CAS: 67-64-1 acetone**
  - LC50/96 h 5,540 mg/L (oncorhynchus mykiss)
  - 7,500 mg/L (leuciscus idus)
  - EC50/48 h 6,100 mg/L (daphnia magna)
  - IC50/8 d 7,500 mg/L (scenedesmus quadricauda)
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## **SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **European waste catalogue**

Disposal must be made according to official regulations.

20 01 13\* solvents  
15 01 04 metallic packaging  
HP 3 Flammable  
HP 4 Irritant - skin irritation and eye damage  
HP 5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
- **Uncleaned packaging:**
- **Recommendation:** Dispose of packaging according to regulations on the disposal of packagings.

## **SECTION 14: Transport information**

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN1950
- **14.2 UN proper shipping name** 1950 AEROSOLS
- **ADR** 950 AEROSOLS
- **IMDG** AEROSOLS
- **IATA** AEROSOLS, flammable



**Safety data sheet**  
according to 1907/2006/EC, Article 31



Printing date 13.06.2019

Version number 9

Revision: 13.06.2019

Trade name: Gluecifer Cleaner

· **14.3 Transport hazard class(es)**

· ADR



· **Class** 2.5F Gases.  
· **Label** 2.1  
· **IMDG, IATA**



· **Class** 2.1  
· **Label** 2.1

· **14.4 Packing group**

· **ADR, IMDG, IATA** Void

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user** Warning: Gases.

· **Danger code (Kemler):** -

· **EMS Number:** F-D,S-U

· **Stowage Code** SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

· **Segregation Code**

SG69 For AEROSOLS with a maximum capacity of 1 litre:

Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.

For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2.

For WASTE AEROSOLS:

· **14.7 Transport in bulk according to Annex II of**

**Marpol and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Limited quantities (LQ)** 1L

· **Excepted quantities (EQ)** Code: E0 Not permitted as Excepted Quantity

**Safety data sheet**  
according to 1907/2006/EC, Article 31



Printing date 13.06.2019

Version number 9

Revision: 13.06.2019

**Trade name: Gluecifer Cleaner**

· <b>Transport category</b>	2
· <b>Tunnel restriction code</b>	D
<hr/>	
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity
· <b>UN "Model Regulation":</b>	U
N 1950 AEROSOLS, 2.1	

## SECTION 15: Regulatory information

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments).  
COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015)  
2001/118/EC as regards the list of wastes 2008/98/EC on waste

- **Directive 2012/18/EU**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations:**

### · Other regulations, limitations and prohibitive regulations

- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

### Department issuing SDS:

Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3.

- **Previous Revision Date:** 23-07-2010 (UK)
- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**



Printing date 13.06.2019

Version number 9

Revision: 13.06.2019

**Trade name: Gluecifer Cleaner**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1: Flammable gases – Category 1

Aerosol 1: Aerosols – Category 1

Press. Gas (Comp.): Gases under pressure – Compressed gas F

lam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

. \* **Data compared to the previous version altered.**

GB